

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	584	399/302.ccls.	USPAT; US-PGP UB
2	BRS	L2	355	399/308.ccls.	USPAT; US-PGP UB
3	BRS	L3	207	2 not 1	USPAT; US-PGP UB
4	BRS	L4	579	399/303,313.ccls.	USPAT; US-PGP UB
5	BRS	L5	486	4 not (1 or 2)	USPAT; US-PGP UB
6	BRS	L6	1298	430/126.ccls.	USPAT; US-PGP UB
7	BRS	L7	1193	6 not (1 or 2 or 4)	USPAT; US-PGP UB
8	BRS	L8	13736	resistance\$1 with intermedia\$4	USPAT; US-PGP UB
9	BRS	L9	716	resistance\$1 with ((primar\$3 or first) near2 transfer\$4)	USPAT; US-PGP UB
10	BRS	L10	172	8 same 9	USPAT; US-PGP UB
11	BRS	L11	82	10 not (1 or 2 or 4 or 6)	USPAT; US-PGP UB
12	BRS	L12	28341	resistance\$1 with transfer\$4	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	1070	8 same 12	USPAT; US-PGP UB
14	BRS	L14	628	13 and 399/\$3.ccls.	USPAT; US-PGP UB
15	BRS	L15	274	14 not (1 or 2 or 4 or 6 or 10)	USPAT; US-PGP UB
16	BRS	L16	167	13 and 430/\$6.ccls.	USPAT; US-PGP UB
17	BRS	L17	71	16 not (1 or 2 or 4 or 6 or 10 or 14)	USPAT; US-PGP UB
18	BRS	L18	22267	(ion\$2 or electron\$2) near2 (conductiv\$5 or electroconductiv\$5)	USPAT; US-PGP UB
19	BRS	L19	1554	18 same transfer\$4	USPAT; US-PGP UB
20	BRS	L20	131	19 and 399/\$3.ccls.	USPAT; US-PGP UB
21	BRS	L21	68	20 not (1 or 2 or 4 or 6 or 10 or 14 or 16)	USPAT; US-PGP UB
22	BRS	L22	17877	g03g015/14.ipc. or g03g015/16.ipc.	EPO; JPO
23	BRS	L23	4565	resistance\$1 with intermedia\$4	EPO; JPO
24	BRS	L24	334	22 and 23	EPO; JPO
25	BRS	L25	8636	resistance\$1 with transfer\$4	EPO; JPO
26	BRS	L26	323	24 and 25	EPO; JPO
27	BRS	L27	6969	(ion\$2 or electron\$2) near2 (conductiv\$5 or electroconductiv\$5)	EPO; JPO
28	BRS	L28	94	22 and 27	EPO; JPO

	Type	L #	Hits	Search Text	DBs
29	BRS	L29	76	28 not 26	EPO; JPO